




Maxi



Maxi lift fittings

	Model A grey	Model B beige	Model C white	Model D black
Cabinet height (mm)	Art. no. 27 1703	Art. no. 27 1704	Art. no. 27 1705	Art. no. 27 1706
300	3.8-7.1	6.7-13.7	11.9-21.0	15.4-27.3
400	2.8-5.3	5.0-10.3	8.9-15.8	11.6-20.5
500	2.3-4.3	4.1-8.3	7.2-12.5	9.4-16.2
600	1.9-3.5	3.3-7.0	5.9-10.6	7.6-13.7
700	1.6-3.0	2.8-5.7	5.0-8.8	6.5-11.4
800	1.4-2.7	2.5-5.1	4.4-7.9	5.7-10.4
900	1.3-2.4	2.2-4.6	4.0-7.0	5.2-9.1
1000	1.1-2.1	2.0-4.1	3.6-6.3	4.6-8.2

75° opening angle



Door weights (kg) given are for one Maxi fitting

For cabinet widths greater than 600 mm, use 2 Maxi fittings

300	3.8-7.1	6.7-13.7	11.9-21.0	15.4-27.3
400	2.8-5.3	5.0-10.3	8.9-15.8	11.6-20.5
500	2.3-4.3	4.1-8.3	7.2-12.5	9.4-16.2
600	1.9-3.5	3.3-7.0	5.9-10.6	7.6-13.7
700	1.6-3.0	2.8-5.7	5.0-8.8	6.5-11.4
800	1.4-2.7	2.5-5.1	4.4-7.9	5.7-10.4
900	1.3-2.4	2.2-4.6	4.0-7.0	5.2-9.1
1000	1.1-2.1	2.0-4.1	3.6-6.3	4.6-8.2

90° opening angle



Door weights (kg) given are for one Maxi fitting

For cabinet widths greater than 600 mm, use 2 Maxi fittings









300	2.4-4.0	3.9-7.5	6.8-11.6	9.2-15.0
400	1.8-3.0	2.9-5.6	5.1-8.7	6.9-11.2
500	1.4-2.4	2.4-4.5	4.0-7.1	5.7-9.0
600	1.2-2.0	1.9-3.8	3.3-5.9	4.5-7.6
700	1.0-1.7	1.7-3.1	2.9-4.8	3.8-6.2
800	0.9-1.4	1.4-2.8	2.6-4.3	3.4-5.6
900	0.8-1.3	1.3-2.5	2.3-3.8	3.0-5.0
1000	0.7-1.2	1.1-2.2	2.0-3.5	2.7-4.5


110° opening angle



Door weights (kg) given are for one Maxi fitting

For cabinet widths greater than 600 mm, use 2 Maxi fittings

	Art. no.	
<p>Maxi lift fitting for medium to very heavy lids install right or left</p> <p>Opening angle: 75°, 90° and 110°</p>	<p>see table on the left</p> <p>27 1703 27 1704 27 1705 27 1706</p>	
<p>Mounting bracket for 37-mm hole spacing for 28-mm hole spacing cabinet connector</p>	<p>27 0618 27 0622</p>	
<p>Mounting bracket for wooden doors and doors with wide frames for euro screws for pan head screws</p>	<p>27 0628 27 0626</p>	
<p>Mounting bracket for wooden doors and doors with wide frames with sliding clip for euro screws for Spax screws Ø 4 mm</p>	<p>27 0630 27 0633</p>	
<p>Mounting bracket for 20-mm aluminium frame doors</p>	<p>27 0624</p>	
<p>Mounting bracket for 20-mm aluminium frame doors with sliding clip</p>	<p>27 0635</p>	
<p>Maxi damper die-cast zinc, nickel-plated plastic, grey</p>	<p>27 0666 27 0671</p>	
<p>Hex (Allen) key 10 mm</p>	<p>27 1099</p>	



Maxi Touch opening

	Model A grey	Model B beige	Model C white	Model D black
Cabinet height (mm)	Art. no. 27 1703	Art. no. 27 1704	Art. no. 27 1705	Art. no. 27 1706
300	2.0-3.8	4.0-7.7	7.0-14.0	
400	1.6-3.1	3.0-6.3	5.0-11.5	7.0-12.5
500	1.3-2.5	2.7-5.2	4.7-8.4	5.5-10.5
600		2.4-4.5	4.3-7.8	4.7-8.4
700		2.2-4.0	4.0-7.5	4.3-8.0
800			3.6-6.2	3.9-7.3
900			3.4-5.8	3.5-6.7

75° opening angle



Door weights (kg) given are for one Maxi fitting
For cabinet widths greater than 600 mm, use 2 Maxi fittings

300	2.0-3.5	3.3-6.7	6.0-10.3	7.8-13.6
400	1.5-2.6	2.5-5.0	5.5-7.8	5.8-10.2
500	1.2-2.1	2.0-4.0	3.6-6.3	4.7-8.2
600	1.0-1.8	1.7-3.3	3.0-5.2	3.9-6.8
700	0.9-1.4	1.4-2.7	2.5-4.3	3.2-5.7
800	0.7-1.3	1.2-2.6	2.2-3.9	2.9-5.1
900	0.7-1.2	1.1-2.2	2.0-3.4	2.6-4.5
1000	0.6-1.0	1.0-2.0	1.8-3.1	2.4-4.1

90° opening angle












Door weights (kg) given are for one Maxi fitting
For cabinet widths greater than 600 mm, use 2 Maxi fittings

300	1.2-2.9	2.6-5.5	4.6-9.5	
400	0.9-2.2	2.0-4.4	3.8-7.0	4.6-8.7
500	0.7-1.8	1.7-3.4	3.1-5.8	3.7-6.5
600		1.4-3.0	2.6-4.7	3.1-5.8
700			2.3-4.1	2.8-4.5
800			2.0-3.8	2.4-4.1
900				2.1-3.9
1000				1.8-3.7

110° opening angle



Door weights (kg) given are for one Maxi fitting
For cabinet widths greater than 600 mm, use 2 Maxi fittings

	Art. no.	
<p>Maxi lift fitting for medium to very heavy lids install right or left</p> <p>Opening angle: 75°, 90° and 110°</p>	<p>see table on the left</p> <p>27 1703 27 1704 27 1705 27 1706</p>	
<p>Mounting bracket for 37-mm hole spacing for 28-mm hole spacing</p>	<p>27 0618 27 0622</p>	
<p>Mounting bracket for wooden doors and doors with wide frames for euro screws for pan head screws</p>	<p>27 0628 27 0626</p>	
<p>Mounting bracket for wooden doors and doors with wide frames with sliding clip for euro screws for Spax screws Ø 4 mm</p>	<p>27 0630 27 0633</p>	
<p>Mounting bracket for 20-mm aluminium frame doors</p>	<p>27 0624</p>	
<p>Mounting bracket for 20-mm aluminium frame doors with sliding clip</p>	<p>27 0635</p>	
<p>Magnetic catch</p>	<p>27 1520</p>	
<p>Magnetic catch with base plate</p>	<p>27 1521</p>	
<p>Counterplate for magnet knock in</p>	<p>27 1522</p>	
<p>Hex (Allen) key 10 mm</p>	<p>27 1099</p>	