

TopFlex

TABLE IN WAITING

— KESSEBÖHMER ————



Table in waiting:

The width of a TopFlex pull-out table fitting can be freely selected within the constraints of weight and cabinet width.

It can be built into a 45 to 90-cm base.unit.

TopFlex is available either with a drop-down or with a fixed front panel (see above).





Product code Dimensions (mm)

For side wall

005231 0102 15 + 16 mm

005241 0102 18 + 19 mm

Pull-out table fitting TopFlex

with drop-down front, cantilevered, complete, with White worktop, Carcase depth: ≥500 mm
Carcase width: 600 mm

Extended length: 810 mm

Load capacity: max. 30 kg

Colour code:

Silver 0102



For side wall 005234 0102 15 + 16 mm

005244 0102 18 + 19 mm

Pull-out table fitting TopFlex

with fixed front, cantilevered, complete, with White worktop, Carcase depth: ≥500 mm
Carcase width: 600 mm
Extended length: 810 mm

Load capacity: max. 30 kg

Colour code:

Silver 0102



005236 0102

For worktop thicknesses 15-19 mm Pull-out table fitting TopFlex

with drop-down front, cantilevered, complete, **without** worktop Carcase depth: ≥500 mm Extended length: 810 mm

Any width between 450 and 900 mm

Load capacity: max. 30 kg

Colour code:

Silver 0102



005238 0102

For worktop thicknesses 15-19 mm Pull-out table fitting TopFlex

with fixed front, cantilevered, complete, **without** worktop Carcase depth: ≥500 mm Extended length: 810 mm

Any width between 450 and 900 mm

Load capacity: max. 30 kg

Colour code:

Silver 0102

5-14 Tables and worktop extensions

